

CITORCH T NG

High quality manual TIG welding torches



CITORCH T NG

The **CITORCH T NG** new range of welding torches from OERLIKON brings innovative solutions to perform the most demanding works in various sectors.



CITORCH T NG

- High quality welding results on carbon and stainless steels and light alloys.



- For high demanding sectors of activity.



A new range, a new design




1877-38

CITORCH T NG range is presented in two models:

- Round handle serie (RL): easy to handle and easy to maintain,
- Ergonomic handle serie (EB): very comfortable to use and with various options in a modular system.

RL serie is the classic round handle TIG torches have been designed to meet all welding expectations in all positions. The trigger module is fully adjustable and can be moved in any position around the handle.




New design of the trigger module with plastic blade:

- Higher safety due to electrical isolation,
- Esthetic: no corrosion.

The woven sheath and the handle's sleeve give a good flexibility to the harness.

2010-643

EB serie is the best OERLIKON TIG torches with an advanced ergo-design, using a colored soft grip for a maximum welder comfort. These torches will give you an optimum welding quality, and increase the communication between the welder and the machine.



The modular system brings a increased control over the power source. All torches are delivered with a single button module. That can be changed by any kind of other button.

The ball joint gives excellent flexibility, and the first 1 m of the harness is leather which increases the service life of the welding hose.

2010-668



2011-005

2010-671

2010-672


2010-673



1415-53

The **CITORCH T NG** range includes 4 air cooled, and 3 water cooled types.

Air cooled



2010-641

2010-642

2010-643

2010-644

		CITORCH T NG 10		CITORCH T NG 20		CITORCH T NG 30		CITORCH T NG 40					
Duty cycle 35%		125 A		150 A		200 A		250 A					
Duty cycle 60%		80 A		100 A		130 A		200 A					
Fitted as standard	back cap	long		long		long		long					
	nozzle	Ø 10 mm		Ø 10 mm		Ø 12 mm		Ø 12 mm					
	electrode	Ø 1.6 mm		Ø 2.0 mm		Ø 2.4 mm		Ø 2.4 mm					
To order													
Length		5 m		8 m		5 m		8 m		5 m		8 m	
Handle	RL	Connector	C5B	W000278984	W000278985	W000278986	W000278987	W000278988	W000278989	W000278990	W000278991		
	EB		C5B	W000278380	W000278381	W000278382	W000278383	W000278384	W000278385	W000278386	W000278387		

Water cooled



2010-645

2010-646

2010-647

		CITORCH T NG 10 W		CITORCH T NG 35 W		CITORCH T NG 40 W			
Duty cycle 100%		250 A		350 A		450 A			
Fitted as standard	back cap	long		long		long			
	nozzle	Ø 12 mm		Ø 15 mm		Ø 14 mm			
	electrode	Ø 2.4 mm		Ø 4.0 mm		Ø 4.8 mm			
To order									
Length		5 m		8 m		5 m		8 m	
Handle	RL	Connector	C5B	W000278992	W000278993	W000278994	W000278995	W000278996	W000278997
	EB		C5B	W000278388	W000278389	W000278390	W000278391	W000278392	W000278393

Single button delivery

Modular system

All torches are delivered with a single button module. If you want another control module, order it separately.

Refer to the instruction manual to see the different connections for the modules. For potmeter adapt the wiring to the welding machine.



1

2


3

4

2011-005

- 1 Horizontal potmeter - **W000279370**
- 2 Vertical potmeter - **W000279246**
- 3 Double button - **W000279242**
- 4 Blade - **W000279245**

2010-671




2003-198


Connectors, adaptators, extensions and adjustable heads.

Connectors

The connectors to the machine are in a new design, compact and fully protected delivering both strength and quality. All hoses are in rubber with a woven sheath for heavy duty work.



Adaptators



Extension

The extension harnesses are 15 m long and fitted with quick connectors and either S (banana) or 5 pins type trigger plugs. The connectors are protected by a leather cover with velcro fasteners.

- Air cooled version - **W000306135**
- Water cooled version - **W000306136**



Adjustable heads

As an option, adjustable torch bodies are available. Welding in inaccessible locations becomes easier. You have the choice of 2 heads, small and large to be mounted on air cooled or water cooled bodies. Choose one body and one head to get a complete torch.

Air cooled body


- **W000279381**

Water cooled body

- **W000279382**

Head CITORCH T
NG 10 - **W000279383**


Head CITORCH T
NG 20-30 - **W000279384**





Wear parts:

OERLIKON sets the standard for wear parts, ensuring maximum quality for both welding and the gas protection. Wear parts are common for RL or EB handles.



CITORCH T NG 40W

A Insulating nut - **W000306452**

B Nozzle seals - **W000167673**

C Water distributor - **W000271415**

- The gas lens collet body **8** is supplied with a filter **9** and a sealing ring **7**.
- The ring **8** or the filter **9** are supplied on their own.

Gas lens, for welding where access is difficult.

Nozzles 6 10: choice of diameter

Welding current (A)	70	70	120	200	350
Diameter (mm)	6	8	10	12	15

All CITORCH T NG wear parts are compatible with the previous CITORCH T range.

	CITORCH T NG 10/10 W	CITORCH T NG 20	CITORCH T NG 30	CITORCH T NG 35 W / 40	CITORCH T NG 40 W	
1 Back cap	short	W000265603	W000265605	W000265605	W000265606	
	medium	W000265608	-	-	-	
	long	W000265610	W000265611	W000265611	W000265612	W000265613
2 Back cap o-ring	W000265616	W000265622	W000265622	W000265623	W000265624	
3 Sealing ring	W000265713	W000265630	W000265630	W000265631	-	
4 Electrode collet	∅ 1.0	W000265633	W000265634	W000265635	W000265636	-
	∅ 1.6	W000265638	W000265639	W000265640	W000265641	-
	∅ 2.0	W000265642	W000265643	W000265644	W000265645	-
	∅ 2.4	W000265654	W000265655	W000265656	W000265657	W000265658
	∅ 2.5	W000265659	W000265660	W000265661	-	-
	∅ 3.2	W000265662	W000265663	W000265664	W000265665	W000265666
	∅ 4.0	-	-	W000265667	W000265668	W000265669
∅ 4.8	-	-	-	W000265670	W000265671	
5 Collet body all diameters	W000265672	W000265673	W000265674	W000265675	W000265677	
6 Collet body heavy duty	-	-	-	W000306201*	-	
6 Nozzle	∅ 6.4	W000265695	W000265696	W000265697	W000265697	-
	∅ 8.0	W000265700	W000265701	W000265702	W000265702	-
	∅ 9.6	W000265704	W000265705	W000265706	W000265706	-
	∅ 11.0	-	-	-	-	W000265710
	∅ 12.8	W000265707	W000265708	W000265709	W000265709	-
	∅ 14.0	-	-	-	-	W000265712
	∅ 15.7	-	-	W000265711	W000265711	-
6L Long Nozzle	∅ 4.8	W000306456	-	-	-	-
	∅ 6.4	W000306457	-	W000306462	W000306462	-
	∅ 8.0	W000306458	-	W000306463	W000306463	-
	∅ 9.6	W000306459	-	W000306464	W000306464	-
	∅ 11.2	-	-	W000306465	W000306465	-
7 Gas lens sealing ring	W000265713	W000265714	W000265714	W000265715	-	
8 Gas lens collet body	W000265716	W000265717	W000265717	W000265718	-	
9 Gas lens filter	W000265719	W000265720	W000265720	W000265720	-	
10 Gas lens nozzle	∅ 8.0	W000265721	W000265722	W000265722	W000265722	-
	∅ 9.6	W000265723	W000265724	W000265724	W000265724	-
	∅ 11.2	W000265725	-	-	-	-
	∅ 12.8	-	W000265726	W000265726	W000265726	-
10L Long gas lens nozzle	∅ 15.7	-	W000265727	W000265727	W000265727	-
	∅ 8.0	-	W000306467	W000306467	W000306467	-
	∅ 9.6	-	W000306468	W000306468	W000306468	-
	∅ 11.2	-	W000306469	W000306469	W000306469	-
∅ 12.8	-	W000306470	W000306470	W000306470	-	

* For the collet body "heavy duty", use the gas lens nozzles

1415-68



Wear parts are common for RL or EB handles.

Maintenance kit

A complete kit for all your applications. The kit includes electrode collets, nozzles, back caps and collet body.

- CITORCH T NG 10/10W - **W000306441**
- CITORCH T NG 20 - **W000306442**
- CITORCH T NG 30 - **W000306443**
- CITORCH T NG 40/35W - **W000306444**
- CITORCH T NG 40W - **W000306445**



Tungsten electrodes

A wide choice to meet all the welding requirements.

**ISO 6848
EN 26848**

Choice criteria

Type	Metal	Arc stability	Striking	Lasting	Thermal resistance
Pur Tungsten	Light alloys	**	*	*	*
Tungsten with Thorium	Carbon and stainless steel	*	***	**	**
Tungsten with Cerium	Carbon and stainless steel	**	*	**	**
Tungsten with Lanthanum	All	**	***	***	***
Tungsten with rare Earths	All	**	***	***	***

*** Excellent ** Good * Average

11 Tungsten Electrodes WELDLINE - 150 mm long (except WS 20: 175 mm)

All purpose Tungsten Electrodes

Very high quality Tungsten electrodes (selected raw material and high-tech manufacturing process). Perfectly adapted to the most demanding applications.

Ø mm	WP Pure Tungsten	WT 20 Tungsten with Thorium 2%	WC 20 Tungsten with Cerium 2%	WL 20 Tungstenwith Lanthanum 2%	WS 20 Tungsten with rare Earths 2%
1.0	W000010009	W000010002	W000010022	W000010373	W000335166
1.6	W000010010	W000010003	W000010023	W000010016	W000335167
2.0	W000010011	W000010004	W000010024	W000010017	W000335168
2.4	W000010012	W000010005	W000010025	W000010018	W000335169
2.5	W000010013	W000010006	W000010026	W000010019	W000335170
3.2	W000010014	W000335156	W000335150	W000010020	W000335171
4.0	W000010015	W000010006	W000010028	W000010021	W000335172



Contacts

BELGIUM

AIR LIQUIDE WELDING BELGIUM SA
Z.I. West Grijpen - Grijpenlaan 5 - 3300 TIENEN
Tel.: +32 16 80 48 20 - Fax: +32 16 78 29 22

CHINA

SAF SHANGHAI REP.OFF.
Rm 722 Pine City Hotel
777 Zhao Jia Bang Lu - SHANGHAI 200032
Tel.: +86 21 64 43 89 69 - Fax: +86 21 64 43 58 97

CZECH REPUBLIC

AIR LIQUIDE CZ S.R.O. - Welding and Cutting
Podnikatelská 565 - Areál SVUM - 190 11 PRAHA 9 - Búchovice
Tel.: +420 274 023 163 - Fax: +420 274 023 233

FRANCE

AIR LIQUIDE WELDING FRANCE
13, rue d'Épluches - BP 70024 Saint-Ouen l'Aumône
95315 CERGY PONTOISE Cedex
Tel.: +33 1 34 21 33 33 - Fax: +33 1 34 21 31 30

GERMANY

OERLIKON SCHWEISSTECHNIK GmbH
Industriestrasse 12 - D-67304 EISENBERG/PFALZ
Tel.: +49 6351 4760 - Fax: +49 6351 476 335

HUNGARY

AIR LIQUIDE HUNGARY - Welding & Cutting
Krisztina krt. 39/b - H-1013 BUDAPEST
Tel.: +36 1 339 8650 - Fax: +36 1 339 8649

ITALY

AIR LIQUIDE WELDING ITALY
Via Torricelli 15/A - 37135 VERONA
Tel.: +39 045 82 91 511 - Fax: +39 045 82 91 536

LUXEMBOURG

AIR LIQUIDE WELDING LUXEMBOURG S.A.
5 rue de la Déportation - BP 1385 - L-1415 LUXEMBOURG
Tel.: +352 48 54 56 - Fax: +352 48 54 57

MALAYSIA

SAF-OERLIKON MALAYSIA SDN BHD
No 10, Jalan TPP 5/1
Taman Perindustrian Puchong - 47100 PUCHONG, SELANGOR
Tel.: +603 8060 8638 - Fax: +603 8061 620

NETHERLANDS

AIR LIQUIDE WELDING NETHERLANDS
Rudonk 6 B - NL 4824 AJ BREDA
Tel.: +31 76 541 00 80 - Fax: +31 76 541 58 96

POLAND

AIR LIQUIDE WELDING POLSKA - SP. Z.o.o
UL. Porcelanowa 10 - 40-246 KATOWICE
Tel.: +48 32 609 04 50 - Fax: +48 32 609 04 60

PORTUGAL

AIR LIQUIDE SOLDADURA LDA
Rua Dr. António Loureiro Borges, 4-2º Arquiparque
Miraflores - 1495-131 ALGÉS
Tel.: +351 21 41 64 900 - Fax: +351 21 41 69 40

ROMANIA

DUCTIL
Aleea Industriilor Nr 1 - 120224 BUZAU
Tel.: +40 238 722 058 - Fax: +40 238 716 861

RUSSIA

AIR LIQUIDE WELDING
17 Vorontsovskaya Str. - 109147 MOSCOW
Tel.: +7 495 641 28 98 - Fax: +7 495 641 28 91

SCANDINAVIA

OERLIKON SKANDINAVIEN AB
Krossverksgatan 7 - 216 16 LIMHAMN
Tel.: +46 (0)40 670 15 00 - Fax: +46 (0)40 670 15 01

SLOVAKIA

AIR LIQUIDE WELDING CENTRAL EUROPE S.R.O.
Hlohovecká 6 - 951 41 NITRA - LUŽIANKY
Tel.: +421 37 692 4610 - Fax: +421 37 651 28 04

SPAIN

OERLIKON SOLDADURA SA
Poligono Industrial la Noria Carretera de Castellon
Km-15,500 - 50730 El Burgo de Ebro - ZARAGOZA
Tel.: +34 976 10 47 00 - Fax: +34 976 10 42 67

SWITZERLAND

OERLIKON SCHWEISSTECHNIK AG
Mandachstrasse 54 - CH 8155 NIEDERHASLI
Tel.: +41 44 3076 111 - Fax: +41 44 3076 112

THAILANDE

AIR LIQUIDE WELDING THAILAND Co. Ltd.
40 Moo 6 - Ramindra Road Km 9.5 - KHANNAYAO, BANGKOK 10230
Tel.: +66 29 43 2250 - Fax: +66 29 43 2256

UAE

AIR LIQUIDE WELDING MIDDLE EAST FZE
Jebel Ali free zone warehouse No. FZS1AH05
P.O. BOX 18734 - Jebel Ali - DUBAI
Tel.: +971(0)48861606 - Fax: +971(0)48861608

U. K.

AIR LIQUIDE WELDING Ltd
Low March / London Road - DAVENTRY - Northants NN11 4SD
Tel.: +44 1 327 70 55 11 - Fax: +44 1 327 70 13 10

UKRAINE

AIR LIQUIDE WELDING UKRAINE, Lic.
Moskovskij Prospect 199 - Office 339 - 61037 KHARKOV
Tel.: +38 057 728 08 52- Fax: +38 057 728 08 53

Contacts for other countries:

ALW Export Department Italy

Via Torricelli 15/A
37135 VERONA
Tel.: +39 045 82 91 511- Fax: +39 045 82 91 536
E-mail: export.alwitaly@airliquide.com

ALW Export Department France

13, rue d'Épluches
BP 70024 Saint Ouen l'Aumône
95315 CERGY-PONTOISE Cedex
Tel.: +33 1 34 21 33 33 - Fax: +33 1 30 37 19 73
E-mail: export.alwfrance@airliquide.com



www.airliquide.com

Air Liquide is the world leader in gases for industry, health and the environment, and is present in over **75 countries** with **43.000 employees**. Oxygen, nitrogen, hydrogen and rare gases have been at the core of Air Liquide's activities since its creation in 1902. Using these molecules, Air Liquide continuously reinvents its business, anticipating the needs of current and future markets. The Group innovates to enable progress, to achieve dynamic growth and a consistent performance. Air Liquide combines many products and technologies to develop valuable applications and services not only for its customers but also for society.